CS 152 Computer Programming Fundamentals More Control Structures

Brooke Chenoweth

University of New Mexico

Spring 2024

While and If

- Branching use if/else
- Loops use while
- In theory, you could use only these two control structures for your programs.
- However, it is often convenient to use other structures as well.

while

```
while (booleanExpr) {
   // statements to repeat while booleanExpr is true
}
```

A while loop tests the continuation condition *first*, then executes the statements in the body.

do..while

Sometimes it is more convenient continuation condition at the end of the loop, instead of the beginning.

```
do {
   // body of loop
} while(booleanExpr);
```

while vs do..while

Having two types of loops doesn't actually make the language more powerful. We can write one in terms of the other.

do..while rewritten as while

```
do {
  loopBody
} while (testExpr);
```

```
loopBody
while (testExpr) {
  loopBody
}
```

while rewritten as do..while

```
while(testExpr) {
  loopBody
}
```

```
if(testExpr) {
  do {
    loopBody
  } while (testExpr);
}
```

break out of loops

Sometimes you want to break out of a middle of a loop.

```
Scanner sc = new Scanner(System.in);
int n; // holds user number
while(true) { // oh no, an infinite loop!
  System.out.println("Enter an integer");
  if(sc.hasNextInt()) {
   // user actually entered a number. Yay!
   n = sc.nextInt();
   // Use break to jump out of the loop
   break;
 } else {
   // Give user another chance to get it right
    System.out.println(sc.next() + " isn't an integer!"
   program continues here after break
```

for loops

Many while loops have the general form:

```
init
while(testExpr) {
  body
  update
}
```

We can use a for loop to combine initialization, continuation testing, and updating in the first line.

```
for(init; testExpr; update) {
  body
}
```

We don't get any new power by adding for to the language, but for some kinds of problems, it can be easier to use.