CS 251 Intermediate Programming Quiz 3

Brooke Chenoweth

University of New Mexico

Spring 2024

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

Question 1: Data types

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

If you wanted to store π in a data type, which of these would be best?

- A int
- B float
- C char
- D long

Question 1: Data types

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

If you wanted to store π in a data type, which of these would be best?

A int

- B float
- C char
- D long

Question 2: Modifiers

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

Which modifier goes before a variable when you want the entire class to share only one copy?

- A package
- B class
- C static
- D void

Question 2: Modifiers

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

Which modifier goes before a variable when you want the entire class to share only one copy?

- A package B class
- C static
- D void

Question 3: Protected

A protected variable or method is visible to:

- A only the class in which it is declared.
- B the class in which it is declared and any parent classes of that class.
- C the class in which it is declared and any classes that extend that class.
- D only classes in the same package as the class in which is it declared.

Question 3: Protected

- A protected variable or method is visible to:
 - A only the class in which it is declared.
 - B the class in which it is declared and any parent classes of that class.
 - C the class in which it is declared and any classes that extend that class.
 - D only classes in the same package as the class in which is it declared.

Which class implements the interface?

```
public interface MyInterface {
    void doSomething(int i, double x);
    int doSomethingElse(String s);
}
```

Α

```
public class MyClass implements MyInterface {
   public int doSomething(int i, double x) {
      return 0;
   }
   public void doSomethingElse(String s) {
   }
}
```

Which class implements the interface?

```
public interface MyInterface {
    void doSomething(int i, double x);
    int doSomethingElse(String s);
}
```

A The method signatures don't match.

```
public class MyClass implements MyInterface {
   public int doSomething(int i, double x) {
      return 0;
   }
   public void doSomethingElse(String s) {
   }
}
```

Which class implements the interface?

```
public interface MyInterface {
    void doSomething(int i, double x);
    int doSomethingElse(String s);
}
```

В

```
public class MyClass {
   public void doSomething(int i, double x) {
   }
   public int doSomethingElse(String s) {
     return 0;
   }
}
```

Which class implements the interface?

```
public interface MyInterface {
    void doSomething(int i, double x);
    int doSomethingElse(String s);
}
```

B Not using implements

```
public class MyClass {
   public void doSomething(int i, double x) {
   }
   public int doSomethingElse(String s) {
     return 0;
   }
}
```

Which class implements the interface?

```
public interface MyInterface {
    void doSomething(int i, double x);
    int doSomethingElse(String s);
}
```

С

```
public class MyClass implements MyInterface {
   public void doSomething(int i, double x) {
   }
   public int doSomethingElse(String s) {
     return 0;
   }
}
```

Which class implements the interface?

```
public interface MyInterface {
    void doSomething(int i, double x);
    int doSomethingElse(String s);
}
```

C Correct!

```
public class MyClass implements MyInterface {
   public void doSomething(int i, double x) {
   }
   public int doSomethingElse(String s) {
     return 0;
   }
}
```

Which class implements the interface?

```
public interface MyInterface {
    void doSomething(int i, double x);
    int doSomethingElse(String s);
}
```

D

```
public class MyClass extends MyInterface {
   public void doSomething(int i, double x) {
   }
   public int doSomethingElse(String s) {
     return 0;
   }
}
```

Which class implements the interface?

```
public interface MyInterface {
    void doSomething(int i, double x);
    int doSomethingElse(String s);
}
```

 $\boldsymbol{\mathsf{D}}$ Using extends instead of implements

```
public class MyClass extends MyInterface {
   public void doSomething(int i, double x) {
   }
   public int doSomethingElse(String s) {
     return 0;
   }
}
```